

RP OR NOT RP: THAT IS THE CO-CREATION QUESTION

Mehran KOOHGILANI, John POWELL and Gary UNDERWOOD
Faculty of Science & Technology, Bournemouth University

ABSTRACT

The growth of rapid prototyping (RP) appears to show no sign of slowing. Within industry, recent advances in material development have driven the increased adoption of RP technologies for manufacture. Businesses and hobbyists have embraced the availability of low-cost, desktop 3D printers. Schools and universities have enthusiastically integrated 3D printing into their teaching, particularly within the fields of design and engineering.

However, there is evidence that the popularity of RP is driving a disconnection between the worlds of industry and education. Recent comments by Apple's head designer have highlighted a shortage in vital practical design skills among new graduates. These comments follow announcements of the closure of practical workshops within the design departments of several universities. Recent academic research has also been increasingly concerned about the educational benefits of utilising RP within design teaching.

These developments raise a number of important questions for educators within design and engineering (D&E):

- Can the use of RP technology affect the development of other essential skills required in D&E?
- Is experience of RP technology an essential requirement for today's D&E graduates?
- Is practical workshop experience an essential requirement for today's D&E graduates?
- What view does the design industry take on these questions?

Drawing on new research into the experiences of Bournemouth University's BA/BSc Product Design students and industry professionals, this paper explores whether universities are providing students with the correct skills for today's design industry; how RP affects the traditional design education approach; and whether the concept of co-creation through the combination of traditional physical fabrication and rapid prototyping is appropriate.

Keywords: Rapid prototyping, RP, traditional prototyping, 3D printing, model making.

1 INTRODUCTION

"So many of the designers that we interview don't know how to make stuff, because workshops in design schools are expensive and computers are cheaper. That's just tragic, that you can spend four years of your life studying the design of three dimensional objects and not make one." [1]

These words were spoken by Apple's head designer Jonathan Ive at London's Design Museum in November 2014. Remarkably for a senior vice president of the world's biggest technology company, Ive bemoans the reliance on digital tools over practical skills. His words highlight a crisis within current product design education.

Since the birth of stereolithography in the early 1980s, the role of rapid prototyping (RP) has grown with gathering pace within industry. RP's ability to produce models with arbitrary shapes more quickly, and at a lower cost, than traditional prototyping techniques has driven its popularity in the production of evaluation aids, concept models, and master patterns. More recently, rapid manufacture (RM) has increasingly enabled companies to forego traditional manufacturing processes in applications where a relatively small number of parts are required. Airbus's decision to include over 1,000 printed parts within their A350 XWB jet [2] is just one illustration of RM's advantages when time and financial constraints are a driving factor. Industry's adoption of RP and RM is clearly set to continue expanding, with additive manufacturing industry worldwide sales predicted to reach \$6 billion by 2017 [3].

Within the consumer market, the popularity of low-cost, desktop 3D printers also shows no sign of slowing, with sales forecast to accelerate to one million machines per year by 2018 [4]. Schools have also embraced the new technology. Makerbot's stated aim to place a 3D printer in every US school, and Ultimaker's intention to do the same in the UK, will produce a generation familiar with .stl files and build envelopes.

Given this background, it would seem inevitable that higher education (HE) establishments should be replacing lathes with printers – and many are. Anyone who has visited London's New Designers Exhibition over the past few years – a showcase for the UK's brightest new graduate designers – will have noted the gradual demise of the hand-made prototype. Bucks New University, Portsmouth and Falmouth are just three of the universities to announce workshop closures in 2014 [5][6][7].

The authors of this paper have viewed these developments with increasing concern. The ethos of all the design and engineering courses at Bournemouth University (BU) has been based on a holistic approach within the remit of each course. A common factor has always been that the final product must be designed for manufacture; hence every course (with the exception of Industrial Design) has had access to the design and engineering workshops, with the teaching of practical skills a core requirement.

As experienced design and engineering practitioners in both industry and education, the authors feel that the relative roles of RP and practical workshops require re-evaluation, now more than ever. To that end new research was conducted which aimed to uncover some current truths regarding the use of 3D printing and model making workshops and how they are viewed by students and industry professionals.

2 METHODOLOGY

In order to understand design practitioners' and design students' views of rapid prototyping versus traditional prototyping and inform further discussion a data collection activity was conducted. A basic qualitative and quantitative questionnaire delivered by Survey Monkey™ was determined to be the most suitable form of tool for data collection.

Data collection was solicited from three sources: final year BSc and BA Product Design students studying at Bournemouth University, all of whom had completed an industrial placement; Product Design academics at Bournemouth University; and design professionals currently employed in design management or design training at Dyson Ltd.

The participants were invited to answer a series of questions regarding their own views and experiences of RP versus traditional prototyping in education and practice.

3 FINDINGS

There were 40 responses in total: 27 from undergraduate BU Product Design students, seven from BU Product Design academics and six from design professionals employed at Dyson Ltd.

It is apparent that the majority of respondents (95%) has or intends to use rapid prototyping in their professional practice (Figure 1). The uses were wide-ranging but by far the most common use of 3D printing was for prototyping (Figure 2). The majority of design professionals used rapid prototyping across all activities within the design process.




Figure 1

Figure 2




Figure 3




Figure 4

When asked what the percentage ratio of use between rapid prototyping and traditional prototyping the majority of student respondents (around 72%) had used 75-100% traditional prototyping during their professional practice (Figure 3). This is in contrast to the design professionals of whom the majority (around 83%) utilised 75% or more rapid prototyping during their professional practice. This may be due to specific research and development practices used by Dyson Ltd, but are in all likelihood an indicator of what progressive product design and manufacture companies are doing.

When it comes to thoughts on what should be taught during a typical Product Design degree course most respondents agreed that the split should be around 50% - 75% traditional prototyping skills to 50% - 25% rapid prototyping skills (Figure 4). Interestingly the Head of Design at Dyson qualified his view that only traditional prototyping skills should be taught in HE with the observation that RP skills could easily be learnt when working in industry.

In addition 95% of respondents indicated that a working knowledge of traditional prototyping was essential for design graduates (Figure 5) whilst only 75% indicated that a working knowledge of RP was essential (Figure 6).




Figure 5




Figure 6

When asked to give their qualitative views on the subject the majority of students and professionals agreed that traditional prototyping skills are an essential element, particularly in the earlier stages of the design process. The following comment from a design professional is typical:

“We see grad[uate]s that are now too quick to CAD something up and then RP it rather than go to the workshop and cobble something together to test the basic principles first. It wastes time and money doing it. That approach is fine once you have done some rudimentary work beforehand.”

Students related similar experiences with traditional methods during their professional placements:

“When you work in a design consultancy, for example, CAD and RP are the last stages of the design process. The way the designers communicate is through sketches and crude model making. This is where the most important discoveries in the design process are made. It is this creative, fast paced and dynamic way of thinking that produces innovative ideas and the unique selling points which will determine the success of your product.”

The value of traditional skills in encouraging empathy for materials and manufacturing methods was also stressed. Another Dyson professional commented:

“Machining, CNC, lay-ups, mouldings, etc. all have deep roots in manufacturing methods which give designers good empathy for how a design could be manufactured. It's manufacturing empathy that's lacking as a result of too much RP emphasis in HE.”

It is interesting to note that even though Dyson Ltd utilise a high percentage of RP work compared to traditional prototyping, the design managers have very strong opinions on the importance of teaching traditional prototyping skills in higher education.

It was generally acknowledged that appreciation of RP was important but should be taught as a compliment to the design process rather than a direct replacement of traditional prototyping. Concern was also expressed that alternative RP processes should not be side-lined:

“Design education should also make sure students know what RP processes are available and under which circumstances they should be used. I've found some universities have a strong focus on FDM machines when in practice I've found SLA to be most essential (apart from very early spacial models, in which SLS works very well).”

4 DISCUSSION: RP IN EDUCATION

The pragmatic and economic advantages of utilising RP have been the primary driving force behind its adoption in HE. As in industry, the expense of installing new equipment has been rewarded by savings in workshop manpower and space. Prototype build times have been reduced, and the burden of health and safety requirements significantly lightened. Though material costs and limitations have been problematic in the past, the introduction of cheap plastic filaments and a wide range of revolutionary printing materials – including even carbon-fibre and Kevlar – have largely dissipated these criticisms. Even full-colour 3D printing has become a reality.

While these practical arguments are compelling – and apparently conclusive in their support for RP - the educational case is less clear-cut, and it is this area that concerns the authors of this paper. The research findings highlighted particular issues with the use of RP during early design development and these deserve further discussion.

The benefits of using traditional methods and materials (such as Styrofoam, card and modelling clay) during these early stages are well-documented, and no CAD-based system can provide the level of instant scalar and tactile feedback provided by hands-on modelling. Moreover, while CAD encourages students to create finished designs with precise dimensions and geometric shapes, traditional modelling produces a more “fuzzy” approach to early modelling, the significance of which has been widely established by previous research [8][9][10]. CAD modelling is also much less likely to produce the happy design “accident” – those occasional but significant instances when a design can take a major turn due to a chance discovery or the shape of an offcut of material [11].

Many researchers, such as Gerber & Carroll [8], accentuate the importance of quick design iterations with a high failure rate, in order to increase confidence in the validity of the final design; in the words of Craig Sampson, to “measure success by the height of the trash pile” [10]. While methods like foam modelling can produce a larger number of different models in a short time compared to 3D printing, students can often be reticent to undertake multiple design revisions due to the effort required: each model needs to be started from scratch, whereas a CAD model can be edited and reprinted with ease [12][13].

Undoubtedly, design development can be hampered by the practicalities of modelling with traditional methods. This may be due to the limitations of the materials or processes or due to the skill level of the student themselves [14]. Many design students will find traditional modelling frustrating and outdated. Wilgeroth and Gill [15] claim that RP relieves students from the “burden” of learning model making skills. The authors regard this observation as short-sighted in the extreme. Although the process of making models by hand is arguably more difficult, costly and time-consuming, the educational benefits to the students are vital. An understanding of the behaviour and characteristics of materials is perhaps the greatest benefit, and it is the disconnect between material and form that particularly worries Jonathan Ive:

“One of the things that drives me potty is this idea that you can have a random shape, and then you think let's make this bit in wood and that bit in plastic....You can't make those decisions, you can't read about it, you gain that experience by making.”[1]

This comment chimes with the authors' own research findings that students and professionals alike consider practical, hands-on model making essential for gaining manufacturing empathy. Ironically, although the health and safety benefits of 3D printing have been championed over workshops, BU believes that exposing students to the potential dangers of the workshop and providing them with the skills and knowledge to use machines safely ultimately produces safer, more confident designers.

However, Forkes [16] noted the frequent discrepancy between students' design drawings and their final models, and his argument that RP models will retain more of the designer's original vision is compelling – though this is only true if the student's CAD skills are up to the task. The phenomenon of “design for model making” was ably described by Wilgeroth and Gill in 2006 [15], where students consciously (or subconsciously) create designs that they know they can create in the workshop. Although their assertion that RP eliminates this issue is debatable, it is certainly true that designing within the digital realm can enthuse students, motivating them to produce more complex and extravagant forms [17][18][19]. While this does not necessarily ultimately produce “better” designs – and some students (and possibly educators) may be guilty of confusing higher quality models with better design - it does broaden the possibilities, and levels the playing field for students of differing modelling abilities [14].

The broadening of possibilities raises the issue of design for manufacture. In 2012 Campbell, Bourell and Gibson [20] embraced RP's capability for allowing students to be “encouraged to ignore the design-for-manufacture limitations they have been used to”, while Helbling & Traub [12] welcomed designs “no longer hindered by manufacturing difficulty”. These comments assume that today's product design and engineering graduates have no need to understand the limitations imposed by traditional manufacturing methods. In the opinion of the authors, this is a severely misguided view. As one of the main aims of the design educator is to prepare the students for their professional life in the industry, it has always been deemed necessary to use industry-standard processes. Despite the increasing popularity of rapid manufacture, the expense and practical limitations of the current RM technology and materials have ensured that it still occupies a niche position within the manufacturing industry. In removing the requirement for such staples of design as draft angles and tooling standards, RP discourages students from engaging with the eventual method of manufacture and gives them a false sense of what may or may not be economically or practically viable.

However, as stressed in the authors' research, educators are equally guilty of leaving students ill-equipped if insufficient attention is given to RM. Undoubtedly the proliferation of printed products will only escalate. 3D printers offer students a valuable insight into the current and future possibilities of RM, and a sobering reminder to treat media hype with a pinch of salt. The number of different forms of RP is increasing rapidly, each with their own specific design-for-manufacture considerations, and all of these should be taught alongside traditional manufacturing. In the words of Ford & Dean [17]: “Teaching should not be restricted to innovative practice in the application of new technology but all appropriate methods, old and new.”

5 CONCLUSION

Bournemouth University's practical workshop facilities have received much praise in recent years from external examiners – for example from Dr John McCardle of Loughborough University in 2013: “Bournemouth is clearly delivering a modern and a pragmatic approach to product design, supporting extensive CAD use and elements of digital prototyping, but importantly also encouraging a hands-on approach in workshop practices.” The importance of teaching traditional model making skills was similarly reinforced by the vast majority of respondents to the authors' own research – both student and professional. This appears to support the concerns of Jonathan Ive, and highlights the folly of closing workshop facilities. By neglecting the teaching of practical skills, design educators may well be damaging their students' employability, as noted by one of Dyson's design managers:

“As far as I am aware Bournemouth University seems to still place a great deal of importance on traditional prototyping and I feel this is very beneficial in providing students with practical skills that some, but not all, employers may look for. I think it more likely that an employer would pick someone with practical workshop experience over RP experience as there is more “skill” involved in traditional prototyping. This probably greatly depends on the employer however.”

However, the authors' research also revealed some dissatisfaction amongst students with regard to the lack of emphasis placed on RP at BU, and this may be of equal concern. If we are to take note of what students and industry are telling us, product design educators must aim to strike a balance of true co-

creation between technology and tradition: “RP is merely a process that enables certain parts to be made to work alongside TP. Both are necessary and should be taught to complement each other, giving students the knowledge to know when and why one may be used over the other is essential.”

REFERENCES

- [1] Dezeen. *Design Education “Tragic” says Jonathan Ive*. Available: <http://www.dezeen.com/2014/11/13/design-education-tragic-says-jonathan-ive-apple> [Accessed on 2014, 16 November], (2014) 13 November.
- [2] Simmons D. *Airbus had 1,000 parts 3D printed to meet deadline*. Available: <http://www.bbc.co.uk/news/technology-32597809> [Accessed on 2015, 15 May], (2015) 6 May.
- [3] Wohler Associates Inc. *Wohler Associates Industry Briefing July 2012*. Available: <http://www.wohlersassociates.com/brief07-12.htm> [Accessed on 2014, 20 July], (2012) July.
- [4] Bhas N. *Press Release: 3D Printers for Home-Use to Exceed 1 Million Unit Sales Globally by 2018*. Available: <http://www.juniperresearch.com/viewpressrelease.php?pr=439> [Accessed on 2014, 22 April], (2014).
- [5] Dezeen. *Creativity “Isn’t Welcome” in UK Universities Says Head of Axed Design Course*. Available: <http://www.dezeen.com/2014/02/14/design-education-bucks-new-university-axes-furniture-courses> [Accessed on 2015, 15 February], (2014) 14 February.
- [6] Artlyst. *Grayson Perry Decries Portsmouth Plans to Cut Crafts*. Available: <http://www.artlyst.com/articles/Grayson-perry-decries-portsmouth-plans-to-cut-crafts> [Accessed on 2015, 15 February], (2011) 12 November.
- [7] Dezeen. *Crafts Council Launches Education Manifesto as Protestors Battle to Save Crafts Degree*. Available: <http://www.dezeen.com/2014/11/10/crafts-council-launch-education-manifesto-petition-save-crafts-degree-falmouth-university> [Accessed on 2015, 15 February], (2014) 10 November.
- [8] Gerber E. and Carroll M. The Psychological Experience of Prototyping. *Design Studies*, 33, 2012, pp. 64-84.
- [9] Römer A.; Weißhahn G.; Hacker W.; Pache M. and Lindemann U. Effort-saving Product Representations in Design – Results of a Questionnaire Survey. *Design Studies*, 22, 2001, pp. 473-491.
- [10] Stoll H. W. *Product design methods and practices*, 1999 (Marcel Dekker, New York, NY).
- [11] Underwood G. RP vs workshop: how modelling methods affect early design development. In *International Conference on Engineering and Product Design Education*, University of Twente, Netherlands, September 2014, pp. 537-542.
- [12] Helbling J. and Traub L. Impact of rapid prototyping facilities on engineering student outcomes. In *American Society for Engineering Education Conference and Exposition*, Pittsburg, PA, 2008.
- [13] Sprenger M. *Learning and memory: the brain in action*, 1999 (Association for Supervision and Curriculum Development, Alexandria, VA).
- [14] Greenhalgh S.D. *Rapid prototyping in design education: a comparative study of rapid prototyping and traditional model construction*, 2009 (Thesis (MSc), Utah State University).
- [15] Wilgeroth P. and Gill S. Developments in teaching approaches: the unexpected benefits of an integrated CAD/CAM based modelmaking strategy. In *Engineering and Product Design Education Conference*, Salzburg, September 2006.
- [16] Forkes A. Experiences of revising the prototyping culture for design, engineering and architecture students at London South Bank University. In *International Conference on Engineering and Product Design Education*, Trondheim, September 2010.
- [17] Ford P. and Dean L. Additive manufacturing in product design education: out with the old and in with the new? In: *International conference on engineering and product design*, Dublin, September 2013.
- [18] Hatsopoulos M. *3D Printing Speeds Design Cycle*. Available: http://www.designnews.com/document.asp?doc_id=215714&dfpPPParams=ind_182,aid_215714&dfpLayout=article [Accessed 2014, 15 February], (2000) 21 August.
- [19] Silva N. and Lima E. Rapid Prototyping and CAD/CAM in Building Design Education: a Very Early Introduction to Mass Customization. *Electrical Engineering*, 151, 2013, pp. 867-875.
- [20] Campbell I.; Bourell D. and Gibson I. Additive Manufacturing: Rapid Prototyping Comes of Age. *Rapid Prototyping Journal*, 18(4), 2012, pp. 255-258.